



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

zcl

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/722,045	11/25/2003	Jan Cornelius De Jong	7682-108-999	8309
20583	7590	08/22/2007		
JONES DAY 222 EAST 41ST ST NEW YORK, NY 10017			EXAMINER HILL, MYRON G	
			ART UNIT 1648	PAPER NUMBER
			MAIL DATE 08/22/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10722045	DE JONG ET AL.	7682-108-999	

JONES DAY
222 EAST 41ST ST
NEW YORK, NY 10017

EXAMINER

Myron G. Hill

ART UNIT	PAPER
1648	20070818

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The reply filed on 12/5/06 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): Applicant was required to elect one sequence for examination. Applicant elected the "N" sequence of two clones that are different (see Figure 20).

Applicant is required to elect one sequence by SEQ ID# or clonal designation that has a specific SEQID# associated with it for examination. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication should be directed to Myron G. Hill at telephone number 571-272-0901.

ALI R. SALIMI
PRIMARY EXAMINER